Sewag	e System Evalua	tion Ce	rtificate of R		nipple Ave NW Suite B North Canton, OH 44720 330-493-9904 Fax 330-493-9920 arkhealth.org
Address:	5041 ALABAMA A	/E NW		Parcel ID:	2401428
City:	NORTH LAWRENCE	Zip:	44666	Township:	LAWRENCE TOWNSHIP
Company:	Skelley Septic and	Well		Inspector:	Ben Skelley
Inspection	Date: 01/2	8/2025		Review #:	12604
Initial Revi	ew Date: 01/3	1/2025		Initial Revie	ew by: Todd Ascani
Based	eptable on the information provided, t d take note of the comments lis		not creating a public he	alth nuisance as defin	ed by O.R.C. 3718.011. All interested parties
The in issues		at the system	is not creating a publi		efined by O.R.C. 3718.011, but some functional sted parties should take serious note of the
lt was	tic System CORREC determined that there is a pro- addressed before closing, corre	olem with the	sewage treatment syst		acement/alteration is necessary.
lt was	mbing CORRECTION determined that a plumbing prection must be submitted to the	oblem exists v	which is required to be		tion MAY require a PLUMBING PERMIT. Proof e the buyer's responsibility.
	omplete Inspection spection can not be certified u	ntil the require	ed items listed below a	re completed.	
-	ther Review ark County Health Department	recommends	further review of the p	property to determine	the status of the treament system.
	W. C. S.			nd may not show s	signs of defect, if any, until used.
2354	e life expectancy of a sept d tank(s) to be pumped, if			(3) years	
Please note 900 square presence of solids from I lines that we indicate the interested p	the inspector's comments feet of leach lines. During outlet tees in the septic ta leaving the septic tank and ere probed were reported presence of seasonal war arties may choose to furth eptage was pumped from	on the rep the test, the anks was un d interested to be moist, er since the er investiga this system	ort. This system hat a flow through the stable to be determing parties may choose, which indicates less property has been at a to determine it on 8/27/07 and it was a flow or the system of the syste	as two 1,000 gallor septic tanks remained at the time of the to investigate the aching capacity is not vacant. The districts condition. Healthwould be recomme	n septic tanks, a distribution box and ned at an operating level. The inspection. An outlet tee keeps is item in further detail. The leach present within them but may also ibution box was not accessible and in Department records indicate 2,000 ended to pump the tank if there is no neer discharge from the septic system.

Since the property has been vacant and the system has not been in use, interested parties may want to reinspect the system after it has been in full use.

Final approval cannot be granted until all required corrections, if any, have been made.

Todd Ascani **Final Approval By:**

Final Review Date: 01/31/2025

Acceptable

Initial review was acceptable or corrections were made and evidence submitted to this department that this sewage treatment system is acceptable. This review is valid for six months from the date of inspection if the property is occupied or twelve months if vacant.





"Striving Toward a Healthier Community."

Sewage System Evaluation

Form provided by: Stark County Health Department

7235 Whipple Ave NW Suite B • North Canton, OH 44720 • Phone (330) 493-9904 • Fax (330) 493-9920 • www.starkhealth.org

Submit completed form to online@starkhealth.org

RCEL #: 2401428 LAWRENCE NE:
OTHER (see comments) MITTENT USEX VACANT
OLUME(S): 2-1000 gallons PUMPER:
Z/VOLUME:
A VOLUME.
FRENCH DRAINMOUND
(FT/SQFT/GAL)
TIRTAIN DRAIN 70NE VALV
CURTAIN DRAIN ZONE VALV
•

Sewage System Evaluation

Form provided by: Stark County Health Department

7235 Whipple Ave NW Suite B • North Canton, OH 44720 • Phone (330) 493-9904 • Fax (330) 493-9920 • www.starkhealth.org

PROPERTY ADDRESS: 5041 ALABAMA AVE NW

TOWNSHIP: LAWRENCE

	WAS SYSTEM DYE TESTED? (Y/N) COLOR OF DYE USED: _yellow/green
	DIVERSION BOX— CONDITION: (SATISFACTORY / DETERIORATING / INHIBITING FLOW / COLLAPSING / NOT OBSERVED / N/A)
	DISTRIBUTION BOX— CONDITION: (SATISFACTORY / DETERIORATING / INHIBITING FLOW / COLLAPSING / NOT OBSERVED / N/A)
	CURTAIN DRAIN OR INTERCEPTOR DRAIN OUTLET LOCATED? (Y / N) DRAIN OBSTRUCTED? (Y / N)
	SYSTEM PROBED? (Y/N) DEPTH OF COVER OVER TANK 24" LEACH TRENCH/BED DEPTH 30+"
	EFFLUENT LEVEL IN TRENCHES INSPECTED? (Y/N/N/A/UNABLE TO LOCATE) - IF NO, STATE WHY IN COMMENTS
I	CIRCLE ONE: (DRY / MOIST / SATURATED / SURFACING-BLEEDING) - NOTE ANY ABNORMALITY IN COMMENTS
NS	WATER LEVEL IN: PRE-HYDRAULIC / POST-HYDRAULIC LOADING)
P	TANK (#1) (2 IN / 2 IN) - DISTANCE FROM: (RISER / TANK LID / INLET)
E	OUTLET TEE / OUTLET BAFFLE: (SATISFACTORY / DETERIORATING / MISSING / NOT OBSERVED) - DESCRIBE IN COMMENT
T	TANK (#2) $(\underline{2} \text{ IN} / \underline{2} \text{ IN})$ - DISTANCE FROM: (RISER / TANK LID / INLET / N/A)
I	OUTLET TEE / OUTLET BAFFLE: (SATISFACTORY / DETERIORATING / MISSING / NOT OBSERVED) - DESCRIBE IN COMMENT
N	*USE CAUTION* AEROBIC TREATMENT DEVICE (IN / IN) - DISTANCE FROM: (RISER / TANK LID / INLET / N/A)
	LEACH WELL (#1) (IN /IN) - DISTANCE FROM: (RISER / TANK LID / INLET / N/A)
	AIR SPACE MEASURED FROM LEACH WELL INLET TO WATER LEVELIN - DESCRIBE IF UNABLE TO DETERMINE
	LEACH WELL (#2) (IN /IN) - DISTANCE FROM: (RISER / TANK LID / INLET / N/A)
	AIR SPACE MEASURED FROM LEACH WELL INLET TO WATER LEVELIN - DESCRIBE IF UNABLE TO DETERMINE
	VOLUME OF WATER USED DURING HYDRAULIC LOADING?
	FLOW RATE: 5 GPM RUN TIME: 36 MIN 180 GALLONS
	OBSERVABLE EFFLUENT DISCHARGE: CLEAR BLACK CLOUDY ODOR NONE
	LOCATION OF DISCHARGE, IF ANY?
	BLACK WATER ROUTED INTO SEPTIC? (Y/N) GRAY WATER ROUTED INTO SEPTIC? (Y/N)
	WATER SOFTENER PRESENT? (Y / N) SOFTENER DISCHARGES TO: (SEPTIC SYSTEM / EXTERIOR)
	FOOTER DISCHARGES TO: (SEPTIC SYSTEM / EXTERIOR / UNKNOWN)
	YSTEM DIFFICULT TO EVALUATE DUE TO: (INACCESSIBLE / DENSE OVERGROWTH / RAINFALL / SNOW COVERED / OTHER / N/A)
	COMMENTS CONCERNING SYSTEM: Access to inlet of both septic tanks but not the outlets or the Dbox. Flow
	was constant through the system today with no visible nuisance observed in the leach line area. However, heavy
7	snow cover present at time of inspection.
-	now cover present at time of mapection.
-	
Ø	
7	
_	

Sewage System Evaluation

Form provided by: Stark County Health Department

7235 Whipple Ave NW Suite B • North Canton, OH 44720 • Phone (330) 493-9904 • Fax (330) 493-9920 • www.starkhealth.org

PROPERTY ADDRESS: 5041 ALABAMA AVE NW TOWNSHIP: LAWRENCE

THIS REPORT IS NOT COMPLETE UNTIL A SEWAGE SYSTEM EVALUATION CERTIFICATE OF REVIEW IS ATTACHED.

BASED ON AVAILABLE INFORMATION, THE HOME SEWAGE TREATMENT SYSTEM: "NOT FUNCTIONING PROPERLY" MEANS: THE SEWAGE TREATMENT SYSTEM IS CAUSING A PUBLIC HEALTH NUISANCE AS DEFINED BY ORC 3718.011. APPEARS TO BE FUNCTIONING PROPERLY AT THE DATE AND TIME OF INSPECTION. IS NOT FUNCTIONING PROPERLY AT THE TIME OF INSPECTION AND MUST BE REPAIRED, REPLACED. DOES NOT APPEAR TO BE FUNCTIONING PROPERLY AND NEEDS FURTHER EVALUATION. PLUMBING IS NOT PROPERLY ROUTED IN THE SEWAGE TREATMENT SYSTEM, WHICH IS A PUBLIC HEALTH NUISANCE. X APPEARS TO BE FUNCTIONING PROPERLY, HOWEVER, SEE COMMENTS BELOW: AVERAGE LIFE EXPECTANCY OF A SEPTIC SYSTEM IS 20-25 YEARS. HOME IS VACANT. THEREFORE, THE SEPTIC SYSTEM HAS NOT BEEN IN FULL USE AND MAY NOT SHOW SIGNS OF DEFECT, IF ANY, UNTIL IN FULL USE. RECOMMEND TANK (S) TO BE PUMPED, IF NO WRITTEN RECORD IN LAST THREE (3) YEARS ALL OR SOME OF THE SYSTEM COMPONENTS ARE UNKNOWN CHANGE IN OCCUPANCY, WATER USAGE, OR THE REQUIRED REROUTING OF PLUMBING CAN AFFECT FUTURE PERFORMANCE OF THE SYSTEM. SYSTEM DESIGNED TO BE ALTERNATED/DIVERTED. THIS MUST BE DONE REGULARLY. X ADD RISERS TO SEPTIC TANK (S) TO FACILITATE PUMPING AND SERVICING. X FOOTER WATER DOES NOT APPEAR TO BE ENTERING SYSTEM, HOWEVER, LEAKING SUMP CROCKS AND/OR BROKEN FOOTER TILES CANNOT BE DETERMINED BY VISUAL INSPECTION. A SERVICE CONTRACT IS REQUIRED FOR THIS SEWAGE TREATMENT SYSTEM. OTHER COMMENTS: Recommend removing water softener discharge from the septic. PRINT: Ben Skelley INSPECTOR'S SIGNATURE: INSPECTION DATE(S): 1/28/2025


THIS EVALUATION ONLY APPLIES TO THE DATE AND TIME THE EVALUATION IS MADE, AND IS BASED ON A VISUAL INSPECTION ONLY. KNOWLEDGE OF THE INDIVIDUAL COMPONENTS MAY BE LIMITED. THIS EVALUATION DOES NOT GUARANTEE THE FUTURE PERFORMANCE OF THE SEWAGE TREATMENT SYSTEM.

FURTHER HEALTH DEPARTMENT RECOMMENDATIONS CAN BE FOUND ON THE CERTIFICATE OF REVIEW.

Property Evaluation Diagram Form provided by: Stark County Health Department

7235 Whipple Ave NW Suite B • North Canton, OH 44720 • Phone (330) 493-9904 • Fax (330) 493-9920 • www.starkhealth.org

INCLUDE: NORTH ARROW, HOME, SEPTIC SYSTEM, WATER WELL/ WATER LINE, DISTANCES, & HARDSCAPES



DISTANCES:	
PRIMARY TREATMENT TO FOUNDATION	21
PRIMARY TREATMENT TO DISPERSAL	10
PRIMARY TREATMENT TO WATER SOURCE	61
PRIMARY TREATMENT TO PROPERTY LINE	100
DISPERSAL TO FOUNDATION	50
DISPERSAL TO WATER SOURCE	70
DISPERSAL TO PROPERTY LINE	100

DISTANCES (IF APPLICABLE):				
WATER SOURCE TO FOUNDATION	12			
WATER SOURCE TO PROPERTY LINE				

MARK N/A IF NOT APPLICABLE DISTANCES (WHEN 100' OR LESS):

DISPERSAL TO NEIGH- BORING WELL	
PRIMARY TREATMENT TO NEIGHBORING WELL	

Pag	ze 4	40	f4

OTHER DISTANCES (DRIVEWAY, POND, R/W, ETC.):		
	-	

DUPLICATE Stark County General Health District No. DEPARTMENT OF SANITATION CAUTION: Storm and Footer Drains Are Not Permitted to Drain to Sewage System. TWO All Permits Void One Year From SUMP PUMPS REQUIRED. Date of Issue. NOTE: Call for OPERATIONAL PERMIT Inspection Before 9:30 A.M. PERMIT IS HEREBY GRANTED to to install at ALL PLUMBING AND SEWAGE DISPOSAL SHALL COMPLY WITH STARK COUNTY REGULATIONS. PERMITS MUST BE OBTAINED FROM STARK COUNTY HEALTH DEPARTMENT BEFORE INSTALLATION. RECOMMEND THAT SEPTIC TANKS BE CLEANED EVERY TWO (2) YEARS BY A LICENSED SANITARY SERVICE CO. 000 GALLON SEPTIC TANK TWO (2) _ TREATMENT SYSTEM . LINEAL EACHING TRENCHES. ALL WORK TO BE DONE IN ACCORDANCE WITH STATE AND STARK COUNTY HEALTH REQUIREMENTS ALL WORK MUST BE INSPECTED AND APPROVED BEFORE COVERING. IN WITNESS WHEREOF, I have hereunto set my hand this ... STARK COUNTY HEALTH DISTRICT This permit issued only on the basis that within ISSUED BY 6 months after sanitary sewer becomes accessible to these premises, this permit is void, and those premises shall be connected to the sanitary sewer.

> 1000 1000

ALR GAME

X F. Fi

// ____